

INDEX MAPS.

T. 14 N., R. 4 E. 2nd Mer.

	127	127	126	126	126	125						
129	6	149	5	143	4	140	3	136	2	133	1	125
	149		148		143		139		136		132	
129	7	148	8	143	9	139	10	136	11	132	12	125
	147		147		142		139		135		132	
128	18	147	17	142	16	138	15	135	14	131	13	125
	146		146		142		138		135		131	
128	19	146	20	141	21	138	22	134	23	131	24	124
	145		145		141		137		134		130	
128	30	145	29	141	28	137	27	134	26	130	25	124
	144		144		140		137		133		130	
127	31	144	32	140	33	137	34	133	35	129	36	124
	121		121		121-123		121-122		121-122		122	

T. 15 N., R. 4 E. 2nd Mer.

	156		156		155		155		155		154	
158	6	178	5	172	4	169	3	165	2	162	1	154
	177		177		172		169		165		161	
158	7	177	8	172	9	168	10	165	11	161	12	154
	177		176		172		168		164		161	
157	18	176	17	171	16	168	15	164	14	160	13	153
	175		175		171		167		164		160	
157	19	175	20	171	21	167	22	163	23	160	24	153
	175		174		170		167		163		159	
157	30	174	29	170	28	166	27	163	26	159	25	153
	174		173		170		166		162		159	
156	31	173	32	169	33	166	34	162	35	158	36	152
	152		152		151		151		151		151	

The figures on the lines refer to the page.

Township N. 14 North of Range N. 4 East 2. Mer. La.

South Boundary.

East On Land 8^m S. boundary of Sec. 31, T14N. R4E.

40.00 Set temp^y. q^r. Sec. post

74.89 an Ash 30 in. diam.

80.00 Set temp^y. post Cor. to Sec. 31 & 32, T14N. R4E.

Rich level land, Sugar, B. Ash, Poplar Elm
undergth Spice, pawpaw &c.

East On Land 8^m S. boundary of Sec. 32, T14N. R4E.

9.04 an Oak 4 in. diam.

40.00 Set temp^y. q^r. Sec. post

68.51 a Sugar 24 in. diam.

80.00 Set temp^y. post Cor. to Sec. 32 & 33, T14N. R4E.

Land level 2nd rate timber &c same as last mile

East On Land 8^m S. boundary of Sec. 33, T14N. R4E.

8.60 a Beech 33 in. diam.

40.00 Set temp^y. q^r. Sec. post

60.62 an Elm 20 in. diam.

80.00 Set temp^y. post Cor. to Sec. 33 & 34, T14N. R4E.

Level wet land timber Elm, Sugar, Ash,
Hickory, Oak, Spice &c.

East On Land 8^m S. boundary of Sec. 34, T14N. R4E.

40.00 Set temp^y. q^r. Sec. post

50.72 an Oak 42 in. diam.

80.00 Set temp^y. post Cor. to Sec. 34 & 35, T14N. R4E.

Level wet land, timber Beech, Ash, Hickory
Gym, Elm, Oak, poplar, Spice &c.

East On Land 8^m S. boundary of Sec. 35, T14N. R4E.

28.27 an Oak 24 in. diam.

40.00 Set temp^y. q^r. Sec. post

51.59 an Oak 20 in. diam.

80.00 Set temp^y. post Cor. to Sec. 35 & 36, T14N. R4E.

Land timber &c. same as on the last mile

T4 N. R4 E. 2. Mer. Indiana

East On land. S. boundary of Sec 36, T4 N. R4 E.
32.74 an Oak 48 in. dia.

40.00 Let temp. q. Sec. post

67.59 a Walnut 36 in. dia.

75.00 Intersected the post Cor. to Township N.

13 & 14 N. Range N. 4 & 5 East

Land level & wet, timber R. Ash, Walnut,

Elm & c. running. Spec. July 7. 1879.

West On true line S. boundy. of Sec. 36, T4 N. R4 E.

17.87 a Spanish Oak 36 in. dia.

40.00 Let the q. Sec. post, from which

a Beech 12 in. dia. bray N 35 W 36 lbs. dist. of

a do 19 " " " S 20 E 13 " "

49.35 an Ash 15 " "

80.00 Let a post cor. to Sec. 35 & 36, from which

an Elm 30 in. dia. bray N 4 E 5 lbs. dist. of

an Ash 12 " " " S 72 E 40 " "

Over level land, timber Beech, Ash, Elm

West On true line S. boundary of Sec. 35, T4 N. R4 E.

9.35 a Beech 14 in. dia.

40.00 Let the q. Sec. post, from which

a Lym 9 in. dia. bray 40 E 16 lbs. dist. of

a Poplar 15 " " " S 74 W 21 " "

49.03 a Poplar 14 " "

80.00 Let a post cor. to Sec. 34 & 35, from which

an Oak 10 in. dia. bray N 59 E 13 lbs. dist. of

an Ash 7 " " " S 40 W 3 " "

Over level wet land, timb. Elm, Ash, Oak & c.

West On true line S. boundy. of Sec. 34, T4 N. R4 E.

25.37 an Oak 20 in. dia.

40.00 Let the q. Sec. post, from which

an Elm 18 in. dia. bray S 56 E 14 lbs. dist. of

an Ash 13 " " " S 58 W 5 " "

T4 N. R4 E. 2. Mer. Indiana

64.35 a Lym 12 in. dia.
 80.00 Set a post Cor. to Sec. 33 & 34, from which
 a Lym 14 in. dia. bear N 82 E 36 lks. dist. &
 an Elm 12 " " " S 69 W 25 " "
 Over level land, timber Ash, Oak, Elm &c
 undergth Spruce

Nest On true line S. boundry. of Sec. 33, T4 N. R4 E
 13.00 a Beech 18 in. dia.
 40.00 Set the q. Sec. post, from which
 an Ash 10 in. dia. bear S 84 E 22 lks. dist. &
 a Beech 30 " " " N 56 W 21 " "
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Beech 24 in. dia. bear S 69 E 9 lks. dist. &
 a Do 17 " " " S 46 W 14 " "
 Over good farming land, timber Beech, Ash,
 Sugar &c. undergth Spruce &c.

Nest On S. boundary of Sec. 32, T4 N. R4 E.
 22.44 a Lym 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Hickory 14 in. dia. bear N 45 E 14 lks. dist. &
 a Beech 10 " " " S 32 W 7 " "
 44.45 an Elm 40 " "
 80.00 Set a post Cor. to Sec. 31 & 32, from which
 a Poplar 6 in. dia. bear N 39 E 28 lks. dist. &
 a Beech 14 " " " S 24 W 34 " "
 Over good farming land, timber Beech, Sugar
 ash &c. undergth Spruce. Aug. 5th 1819

Nest On S. boundary of Sec. 31, T4 N. R4 E.
 18.85 a Beech 13 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bear N 65 E 1 lks. dist. &
 a Do 14 " " " S 56 W 18 " "
 80.00 Intersected the Range line between Ranges

T14N. R4E.2. Mer. Indiana
3 & 4 E. Townships N. 13 & 14 North

East Boundary

North On E. boundary of Sec. 36, T14N. R4E.
13.06 an Oak 40 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 16 in. dia. bray S62 E 23 lks. dist. &
a Do 24 " " " N63 W 19 " "

61.00 an Ash 30 " "

80.00 Let a post Cor. to Sec. 25 & 36, from which
a Beech 14 in. dia. bray S20 W 23 lks. dist. &
a Sugar 10 " " " North 15 " "
Over good farming land, timber Beech, Sugar,
Walnut &c. under " Spruce &c.

North On E. boundary of Sec. 25, T14N. R4E.

30.00 a Creek 20 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which
a Beech 9 in. dia. bray S70 E 6 lks. dist. &
a — 8 " " " N66 W 22 " "

61.95 an Ash 24 " "

80.00 Let a post Cor. to Sec. 24 & 25, T14N. R4E. from
which a Beech 24 in. dia. bray S7 E 32 lks. dist. &
an Ash 12 " " " N40 E 34 " "
Over good farming land, timber Beech, Ash &c.
under " Spruce &c.

North On E. boundary of Sec. 24, T14N. R4E.

9.50 a Beech 14 in. dia.

40.00 Let the q. Sec. post, from which
an Elm 10 in. dia. bray S19 E 37 lks. dist. &
a Hornbeam 7 " " " N33 W 6 " "

50.45 a Beech 15 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which
a Lym 8 in. dia. bray S50 E 8 lks. dist. &
a Beech 14 " " " N81 E — " "

T4N R4E. 2nd Mer. Indiana

Land, timber &c. Same as on the last mile

North On E. boundary of Sec. 13, T4N, R4E

25.08 a Beech 22 in. diam.

40.00 Let the gr. Sec. post, from which

a Hornbeam 8 in. diam. bears N 37 E 8 1/2 ch. dist. of

an Ash 13 " " " N 43 E 38 " "

60.38 a Beech 14 " "

80.00 Let a post Cor. to Sec. 12 of 13, from which

an Ash 12 in. diam. bears S 32 E 6 1/2 ch. dist. of

a Hornbeam 8 " " " N 17 W 21 " "

Over good farming land, timber Beech, Ash &c.
undergrnd. Spice &c.

North On E. boundary of Sec. 12, T4N, R4E.

14.82 a Beech 10 in. diam.

40.00 Let the gr. Sec. post, from which

an Elm 30 in. diam. bears S 89 W 6 ch. dist. of

a No 34 " " " N 15 E 20 " "

80.00 Let a post Cor. to Sec. 11 of 12, from which

an Ash 13 in. diam. bears N 24 W 27 ch. dist. of

a Beech 20 " " " N 15 W 18 " "

Over good farming land, timber Beech, Ash,
Oak &c. undergrnd. Spice &c.

North On E. boundary of Sec. 1, T4N, R4E.

40.00 Let the gr. Sec. post, from which

an Ash 10 in. diam. bears S 52 W 10 ch. dist. of

a No 14 " " " S 85 E 12 " "

80.00 Let temp. post Cor. to Township N. 14 &

15. N. Range N. 4 & 5. East

Over level land, timber Beech, Ash, Elm &c.

North Boundary.

West On S. boundary of Sec. 36, T5N, R4E.

21.50 an Elm 24 in. diam. in the line

Map N. R. 4 E. 2^d. Mer. Indiana

40.00 Let the g. Sec. post, from which
an Ash 22 in. dia. bray S 87 E 48 lks. dist. of
a Do 12 " " " S 80 W 14 " "
80.00 Let a post Cor. to Sec. 35 & 36, T 15 N. R. 4 E. from which
a Beech 8 in. dia. bray N 85 W 29 lks. dist. of
a Do 20 " " " N 85 W 28 " "
Over level land, timber Beech & Ash

Nest On S. boundary of Sec. 35, T 15 N. R. 4 E.

28.00 a Hickory 18 in. dia.

40.00 Let the g. Sec. post, from which
a Lyrus 10 in. dia. bray S 36 E 11 lks. dist. of
an Elm 10 " " " N 35 W 15 " "

55.80 a Hickory 14 " "

80.00 Let a post Cor. to Sec. 34 & 35, T 15 N. R. 4 E. from which
an Ash 12 in. dia. bray S 25 E 18 lks. dist. of
an Oak 10 " " " S 45 W 13 " "

Over land timber of. Same as on the last mile

Nest On S. boundary of Sec. 34, T 15 N. R. 4 E.

32.48 a Beech 16 in. dia.

40.00 Let the g. Sec. post, from which
an Elm 9 in. dia. bray S 58 E 24 lks. dist. of
a Beech 10 " " " N 45 W 11 " "

63.20 an Oak 14 " "

80.00 Let a post Cor. to Sec. 33 & 34, T 15 N. R. 4 E. from which
a W. Oak 14 in. dia. bray S 85 E 28 lks. dist. of
a Beech 20 " " " N 85 W 42 " "

Over good farming land Beech, Oak, Lyrus &c.

Nest On S. boundary of Sec. 33, T 15 N. R. 4 E.

12.10 a W. Oak 13 in. dia.

40.00 Let the g. Sec. post, from which
an Ash 20 in. dia. bray N 32 W 15 lks. dist. of
a Do 13 " " " S 51 E 28 " "

56.86 an Elm 13 " "

T14N R4E 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 32 & 33, T15N, R4E, from which
a W. Oak 11 in. dia. bray S80°W 26 Cr., dist. of
an Ash 10 " " " N60 E 28 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T15N, R4E.

19.15 a Cherry 10 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bray N65 E 18 Cr., dist. of
a W. Oak 8 " " " S83°W 10 " "

57.80 an Ash 30 " "

63.20 a Brook 10 Cr. (wide Course N.W.)

80.00 Set a post Cor. to Sec. 31 & 32, T15N, R4E, from which
a Beech 14 in. dia. bray N65 E 18 Cr., dist. of
a Do 18 " " " N63°W 11 " "

Over good farming land timber Beech, Ash, Sugar
&c. underg. th Spruce

West On South boundary of Sec. 31, T15N, R4E.

29.81 a Beech 20 in. dia.

34.00 a Brook 2 Cr. (wide Course N.)

40.00 Set the q. Sec. post, from which
a Beech 15 in. dia. bray N86 E 29 Cr., dist. of
a Do 30 " " " S86°W 39 " "

80.00 Intersected the N. & S. line Cor. to Townships
N. 14 & 15 North, Range N. 3 & 4 E.
Over good farming land.

West Boundary var. 5°45' E.
North On E. boundary of Sec. 36, T14N, R3E.

19.36 a Beech 20 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 16 in. dia. bray N62°W 24 Cr., dist. of
a Do 18 " " " S50 E 19 " "

72.21 a Beech 16 " "

80.00 Set a post Cor. to Sec. 25 & 36, T14N, R3E, from which

T4 N. R4 E. 2. Mer. Indiana

a Beech 20 in. diam. bear. N 26 E 14 lks. dist. of
 a Do 16 " " " S 80 W 36 " "
 Rich level land, Beech, Elm, Lym, Oak, Hick-
 -ory Sugar &c. undugth. Spice & pawpaw

North On E. boundary of Sec. 25, T4 N. R3 E.

40.00 Let the q. Sec. post, from which

a Beech 20 in. diam. bear. N 88 E 22 lks. dist. of
 an Elm 14 " " " N 76 W 21 " "

51.15 a Sugar 30 " "

55.00 a Creek 50 lks. wide Course N. W.

80.00 Let a post Cor. to Sec. 24 & 25, T4 N. R3 E. from which

a W. Oak 21 in. diam. bear. N 50 W 19 lks. dist. of

a Hickory 10 " " " S 15 E 14 " "

Good farming land, Beech, Sugar, Walnut,
 Lym, Ash &c. undugth. Spice, pawpaw &c.

North On E. boundary of Sec. 24, T4 N. R3 E.

3.04 a W. Oak 50 in. diam.

31.00 a Branch 12 lks. wide Course West

40.00 Let the q. Sec. post, from which

a Beech 7 in. diam. bear. N 70 E 15 lks. dist. of

a Do 12 " " " S 78 W 18 " "

50.10 a W. Oak 60 " "

80.00 Let a post Cor. to Sec. 13 & 24, T4 N. R3 E. from which

an Elm 47 in. diam. bear. S 39 W 25 lks. dist. of

a Sugar 20 " " " East 19 " "

Rich level land, Elm, Walnut, Lym, Ash,
 Oak, Hickory &c. undugth. Spice, pawpaw &c.

North On E. boundary of Sec. 13, T4 N. R3 E.

21.46 a Black oak 30 in. diam.

40.00 Let the q. Sec. post, from which

a W. Ash 18 in. diam. bear. N 57 W 20 lks. dist. of

a Beech 6 " " " S 54 E 10 " "

62.50 a Beech 21 " "

T14 N. R4 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 12 & 13, T14 N. R3 E from
which a Buckeye 8 in. dia. bray N 37 W 28 lks. dist. of
a Hickory 18 " " " S 36 E 24 " "
Rich level land, timber same as on last mile

North On E. boundary of Sec. 12, T14 N. R3 E

0.50 a Creek 50 lks. wide Course West

22.56 at Beech 20 in. dia.

40.00 Set the q. Sec. post, from which
a W. Oak 50 in. dia. bray N 42 E 8 lks. dist. of
a Beech 12 " " " N 86 W 18 " "

67.15 a Hickory 21 " "

80.00 Set a post Cor. to Sec. 11 & 12, T14 N. R3 E, from which
a Beech 20 in. dia. bray N 55 E 13 lks. dist. of
an Ironw. 5 " " " S 57 W 16 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T14 N. R3 E.

5.00 a Branch 15 lks. wide Course West

11.41 at Beech 20 in. dia.

40.00 Set the q. Sec. post, from which
an Elm 8 in. dia. bray N 77 E 12 lks. dist. of
a Do 4 " " " S 21 W 5 " "

45.88 a W. Oak 18 " "

62.00 a Branch 8 lks. wide Course west

78.90 Intersected the parallel between Towns
N. 14 & 15 N. at 6 mile post, Set a post
Cor. to Towns 14 & 15 N. Range 3 & 4 E, from which
a Beech 16 in. dia. bray N 81 W 25 lks. dist. of
a Do 25 " " " S 29 E 35 " "

Rich level land, Elm, Walnut, Lyrn, Sug.
Beech, Buckeye &c. underg. Spruce & pawpaw.
Surveyed by John M. McDonald, R.S.

Subdivision. var. 5.45' E.

North Between Sec. 35 & 36, T14 N. R4 E.

T4 N. R4 E. T. Mer. Indiana

13.28 an Elm 10 in. diam.

40.00 Let the g. Sec. post, from which
a Beech 36 in. diam. bear S47°W44¹/₂ lks. dist. of
a Do 5 " " " N15°E19 " "

75.50 a Beech 8 " "

80.00 Let a post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 12 in. diam. bear S43°E22 lks. dist. of
a Do 10 " " " N18°E13 " "
Land level & rich, timber Beech, Ash, poplar
undergth, Spruce &c.East On Rand^m. between Secs. 25 & 36, T4 N. R4 E.40.00 Let temp^y. g. Sec. post.80.26 Intersected the E. boundary 75 lks. S. of post
Land, timber &c. same as on the last mile

West Connected between Secs. 25 & 36, T4 N. R4 E.

40.13 Let g. Sec. post at average dist. from which
a Beech 24 in. diam. bear N67°E25 lks. dist. of
a Do 14 " " " S28°W22 " "

80.26 to Sec. Corner.

North Between Secs. 25 & 26, T4 N. R4 E.

7.70 a Beech 30 in. diam.

40.00 Let the g. Sec. post, from which
a Beech 30 in. diam. bear S54°E27 lks. dist. of
a Do 20 " " " N11°W28 " "

58.75 an Elm 30 " "

80.00 Let a post Cor. to Secs. 23, 24, 25 & 26, from which
an Elm 24 in. diam. bear N12°W26 lks. dist. of
a Locust 30 " " " N30°W25 " "
Land level & rich Beech, Ash, Poplar,East On Rand^m. between Secs. 24 & 2540.00 Let temp^y. g. Sec. post

80.12 Intersected the E. boundary 47 lks. S. of post.

T4 N. R4 E. 2^d Mer. Indiana

Sand timber &c. Same as on the last mile

West Corrected between Sec. 24 & 25, T4 N. R4 E.
 40.06 Set the q. Sec. post, from which
 a Beech 30 in. dia. bray 114 W 21 lks. dist. of
 a Walnut 8 " " " N 87 E 11 " "
 80.12 to Sec. Corner. Sept. 14th 1820

North Between Sec. 23 & 24, T4 N. R4 E.
 40.00 At the q. Sec. post, from which
 an Ash 18 in. dia. bray 123 W 18 lks. dist. of
 a Sugar 8 " " " N 4 E 35 " "
 46.12 an Ash 20 " "
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24 from which
 a Beech 14 in. dia. bray 154 W 13 lks. dist. of
 an Ash 8 " " " N 109 E 37 " "
 Sand level inclining to west, Beech, Ash, Elm,
 underg^g Spruce, Pinckley Ash &c.

East On Land^m between Sec. 13 & 24, T4 N. R4 E.
 40.00 Left temp. q. Sec. post,
 80.05 Intersected the E. boundary 11 lks. S. of post
 Sand level 2^d rate Beech & Ash, undg^g Spruce &c.

West Corrected between Sec. 13 & 14, T4 N. R4 E.
 40.02 1/2 Set q. Sec. post at average dist. from which
 an Ash 9 in. dia. bray 16 E 13 lks. dist. of
 a W. Oak 8 " " " N 78 E 8 " "
 80.05 to Sec. Corner.

North Between Sec. 13 & 14, T4 N. R4 E.
 31.30 a Beech 14 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bray 161 W 11 lks. dist. of
 an Elm 8 " " " East 31 " "
 42.32 an Elm 12 " "

T4 N. R4 E. 2^d. Mer. Indiana

80.00 let a post Cor. to Sec. 11, 12, 13 & 14 from which
at Beech 30 in. dia. brang N60°W 15 lks. dist. of
an Ash 36 " " " N50 E 17 " "
Sand timber &c. same as on the last mile

East On Rand. between Sec. 12 & 13, T4 N. R4 E.

40.00 let temp. q. Sec. post

71.50 a stream 10 lks. wide Course S. E.

80.10 intersected the E. boundary 96 lks. South of
post - Sand timber &c. same as on the last mile

West Cor. between Sec. 12 & 13, T4 N. R4 E.

40.05 let q. Sec. post at average dist. from which
a W. Oak 36 in. dia. brang S 24 E 7 lks. dist. of
at Beech 15 " " " N 71 E 22 " "

80.10 to Sec. Corner.

North Between Sec. 11 & 12, T4 N. R4 E.

10.00 a W. Oak 36 in. dia.

40.00 let the q. Sec. post, from which
an Ash 24 in. dia. brang S 22 W 15 lks. dist. of
at Beech 30 " " " N 35 E 24 " "

52.45 at Beech 20 " "

78.00 a stream 8 lks. wide Course West

80.00 let a post Cor. to Sec. 1, 2, 11 & 12, from which
at Beech 20 in. dia. brang S 85 W 19 lks. dist. of
an Elm 8 " " " N 76 E 17 " "
Sand timber &c. same as on the last mile

East On Rand. between Sec. 11 & 12, T4 N. R4 E.

26.50 a stream 6 lks. wide Course S. W.

40.00 let temp. q. Sec. post

79.83 intersected the E. boundary 4 lks. N. of post
(description omitted)

West Cor. between Sec. 11 & 12, T4 N. R4 E.

T14N R4E. 2nd Mer. Indiana

39.91 Let q. Sec. post at average dist. from which
a Beech 14 in. diam. brang S45 E 17 lks. dist. of
a Do 11 " " " N36 W 26 " "

79.83 to Sec Corner.

North Between Secs. 16 & 2, T14N. R4E.

14.10 a Beech 12 in. diam.

40.00 Let thro q. Sec. post, from which
a W. Oak 20 in. diam. brang N67 E 5 lks. dist. of
a Beech 10 " " " N79 W 7 " "

42.53 an Elm 12 " "

76.05 Intersected the N. boundary 39 lks. N. of post
Let a post Cor. to Sec. 16 & 2, from which
a Beech 20 in. diam. brang N78 E 2 lks. dist. of
a Hickory 14 " " " S23 W 31 " "
Land too poor thin, Beech, Ash, Hickory, &c.
undergth. Spruce &c. Friday Septm. 15th 1820

North Between Secs. 34 & 35, T14N. R4E.

19.00 a Beech 10 in. diam.

40.00 Let thro q. Sec. post, from which
a Beech 20 in. diam. brang S26 E 31 lks. dist. of
a Do 10 " " " N49 W 5 " "

62.62 a Sugar 12 " "

80.00 Let a post Cor. to Secs. 26, 27, 34 & 35, from which
an Elm 24 in. diam. brang S11 E 4 lks. dist. of
an Ash 6 " " " N19 E 6 " "
Land level rich 1st rate, Beech, Ash, Sugar
undergth. Spruce &c.

East On Rand^m. between Secs. 26 & 35, T14N. R4E.

40.00 Let thro q. Sec. post

79.94 Intersected the N & S. line 170 lks. S. of post
Land timber &c. same as on the last mile.

West Connected between Secs. 26 & 35, T14N. R4E.

T4 N R4 E. 2^d Mer. Indiana

39.97 Let the q. Sec. post at average dist. from which
a Beech 12 in. dia. bears N 39° W 16 lks. dist. &
an Ash 12 " " " S 19° E 13 " .

79.94 to Sec. Corner

North Between Secs. 26 & 27, T4 N. R4 E.

40.00 Let the q. Sec. post, from which
a Beech 20 in. dia. bears S 59° E 24 lks. dist.
a Do 15 " " " N 16° W 15 " .

48.65 a Beech 15 " .

80.00 Let a post Cor. to Secs. 22, 23, 26 & 27, from which
a Beech 18 in. dia. bears N 69° W 20 lks. dist.
a Do 10 " " " S 67° E 11 " .
Land level 1st rate timber as before

East Between Secs. 23 & 26, T4 N. R4 E.

40.00 Let temp. q. Sec. post.

79.77 Intersected the N & S. line 1.30 lks. S. of post -
Land level inclining to wet Ash, Elm, Beech,
undergrowth, Spice, prickly Ash &c.

West Corrected between Secs. 23 & 26, T4 N. R4 E.

39.88 Let q. Sec. post at average dist. from which
a Beech 15 in. dia. bears S 79° E 25 lks. dist.
att. Do 6 " " " N 34° W 16 " .

79.77 to Section Corner

North Between Secs. 22 & 23, T4 N. R4 E.

25.35 a Beech 12 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 15 in. dia. bears N 25° W 15 lks. dist. &
a Do 10 " " " S 20° E 25 " .

53.40 a Beech 36 " .

80.00 Let a post Cor. to Secs. 14, 15, 22 & 23, from which
a Beech 20 in. dia. bears S 41° E 18 lks. dist.
an Ash 30 " " " N 52° W 24 " .

T14 N R4 E. 2. Mer. Indiana

Land level 2^d rate Beech Ash & undg^r. Spice &c.

East On Random between Sec. 14 & 23, T14 N. R4 E.
 40.00 Set temp^y. q^r. Sec. post.
 79.98 Intersected the N. & S. line 77 ch. South of post
 Land level inclining to wet Beech Ash undg^r.
 Spice prickly Ash &c.

West Corrected between Sec. 14 & 23, T14 N. R4 E.
 39.99 Set q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 61° W 24 ch. dist. &
 an Ash 16 " " " N 34° W 23 " "
 79.98 To Section Corner

North Between Sec. 14 & 15, T14 N. R4 E.
 29.20 a Beech 10 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a W. Oak 15 in. dia. bears S 9° E 26. ch. dist. &
 a Do 7 " " " N 48° W 28 " "
 62.75 a Beech 20 " "
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 28 in. dia. bears N 14° W 24 ch. dist. &
 a Do 10 " " " S 46° W 7 " "
 Land level 2^d rate timber &c. as before

East On Random between Sec. 11 & 14, T14 N. R4 E.
 5.50 a stream 10 ch. wide Course N. W.
 40.00 Set temp^y. q^r. Sec. post
 80.16 Intersected the N. & S. line 1.43 ch. S. of post
 Land rolling 2^d rate Beech Ash &c.

West Corrected between Sec. 11 & 14, T14 N. R4 E.
 40.08 Set q^r. Sec. post at average dist. from which
 a W. Oak 48 in. dia. bears N 12° W 21 ch. dist. &
 a Beech 20 " " " S 47° E 24 " "
 80.16 To Section Corner Sept. 16th 1820 —

T4 N R4 E 2^d Mer. Indiana

North Between Secs. 10 & 11, T4 N R4 E.
 7.50 a Stream 12 lks. wide Course N. W.
 14.25 a Do 8 " " " West
 37.12 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears S 87° 26 lks. dist. &
 an Ash 10 " " " N 107° 16 " "
 50.15 a Stream 5 lks. wide Course West
 50.90 an Elm 15 in. dia.
 80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which
 a Poplar 11 in. dia. bears S 28° E 28 lks. dist. &
 an Elm 8 " " " North 22 " "
 Land level 2^d rate Beech Ash Poplar undg. Spruce.

East On Random between Secs. 2 & 11, T4 N R4 E.
 40.00 Set temp. q. Sec. post
 45.00 a Stream 4 lks. wide Course S. E.
 65.25 a Do 10 " " " South
 79.75 Intersected the N. & S. line 1.32 lks. S. of post
 Land & timber as before

West Corrected between Secs. 2 & 11, T4 N R4 E.
 39.87 Set q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears S 66° E 16 lks. dist. &
 a Do 24 " " " N 29° W 30 " "
 79.75 To Section Corner

North Between Secs. 2 & 3, T4 N R4 E.
 28.60 a Beech 11 in. dia.
 40.00 Set the q. Sec. post, from which
 an Ash 16 in. dia. bears N 46° W 3 lks. dist. &
 a Beech 6 " " " S 47° 29 " "
 45.28 a Cherry 12 " "
 75.51 Intersected the N. boundary 80 lks. N. of post
 Set a post Cor. to Secs. 2 & 3, from which
 a Br. Oak 20 in. dia. bears S 22° E 33 lks. dist. &

T14 N R4 E. 2^d Mer. Indiana

a Br. Oak 8 in. dia., bears N 4 W 15 ch. dist. &
Land level 2^d rate Br. Oak Poplar Beech - Spruce &c.

North Between Secs. 33 & 34, T14 N. R4 E.
10. 15 a Beech 15 in. dia.
40. 00 Set the q. Sec. post, from which
a Beech 24 in. dia. bears N 58 E 13 ch. dist. &
a Dr 14 " " " S 27 W 7 "
71. 36 a Beech 8 " " " { Beech 12 N 60 E 33 ch. dist.
80. 00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
Land Poling 2^d rate Beech Ash Elm undg^d Spruce &c.

East On Random Between Secs. 27 & 34, T14 N. R4 E.
44. 00 Set temp^y. q. Sec. post
79. 80 Intersected the N. & S. line 1.80 ch. S. of post
Land level 2^d rate timber as before -

West Corrected between Secs. 27 & 34, T14 N. R4 E.
39. 90 Set q. Sec. post at average dist. from which
an Elm 12 in. dia. bears S 30 W 24 ch. dist. &
a Beech 8 " " " N 9 W 3 " "
79. 80 To Section Corner

North Between Secs. 27 & 28, T14 N. R4 E.
25. 30 a Beech 15 in. dia.
40. 00 Set the q. Sec. post, from which
an Ash 16 in. dia. bears N 8 E 32 ch. dist. &
a Beech 9 " " " S 70 W 18 " "
57. 85 an Ash 12 " "
80. 00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which
an Ash 8 in. dia. bears S 42 W 13 ch. dist. &
a Dr 6 " " " S 70 E 6 " "
Land and timber as before -

East On Random between Secs. 22 & 27, T14 N. R4 E.
40. 00 Set temp^y. q. Sec. post

T14 N R4 E. T. Mer. Indiana

79.90 Intersected the N. & S. line 1.46 chs. S. of post
Land level 3rd rate timber Beech, Ash, W. Oak
undergrowth Spice prickly Ash &c.

West Corrected between Secs. 22 & 27, T14 N. R4 E.
39.95 Set q. Sec. post at average dist, from which
an Ash 28 in. dia. bears S 58° W 6 chs. dist. &
a Beech 7 " " " N 34° E 22 " "
79.90 to Section Corner

North Between Secs. 21 & 22, T14 N. R4 E.
13.50 a Beech 24 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 15 in. dia. bears S 62° W 37 chs. dist. &
a No 10 " " " N 65° E 13 " "
51.75 a Hickory 15 " "
80.00 Set a Post Cor. to Secs. 9, 10, 15 & 16, from which
a Hickory 20 in. dia. bears N 3° W 22 chs. dist. &
an Elm 18 " " " S 31° W 3 " "
Land and timber as before

East On Prandour between Secs. 15 & 22, T14 N. R4 E.
40.00 Set temp. q. Sec. post
80.32 Intersected the N. & S. line 1.42 chs. S. of post
Land and timber as before

West Corrected between Sections 15 & 22, T14 N. R4 E.
40.16 Set q. Sec. post at average dist, from which
a Beech 20 in. dia. bears N 65° W 25 chs. dist. &
a Sugar 12 " " " S 42° E 24 " "
80.32 to Section Corner

North Between Secs. 15 & 16, T14 N. R4 E.
50.00 a Beech 11 in. dia.
40.00 Set the q. Sec. post, from which
a Sugar 18 in. dia. bears S 24° W 40 chs. dist. &

T14 N R4 E. Mer Indiana

52.50 a Beech 10 in. dia. bears N11 W14 lks. dist. &
 50.00 a Beech 20 " "
 Set a post Cor. To Secs. 9, 10, 15 & 16, from which
 a Beech 28 in. dia. bears S22 E 18 lks. dist. &
 a No 5 " " " N23 E 11 " "
 Land level 2^d rate Beech Ash Poplar Sugar
 Hickory &c. undergrowth Spice &c.

East On Random between Secs. 10 & 15, T14 N. R4 E.
 40.00 Set temp. q. Sec. post
 79.56 Intersected the N. & S. line 1.50 lks. S. of post
 Land level 2^d rate

West Corrected between Secs. 10 & 15, T14 N. R4 E.
 39.78 Set q. Sec. post at average dist. from which
 a Beech 24 in. dia. bears N72 E 15 lks. dist. &
 an Ash 30 " " " S38 W 6 " "
 79.56 To Section Corner Sept. 18th 1820

North Between Secs. 9 & 10, T14 N. R4 E.
 20.50 a Stream 15 lks. wide Course W.
 25.75 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bears S8 E 23 lks. dist. &
 a Sugar 14 " " " N59 E 16 " "
 44.50 an Ash 36 " "
 80.00 Set the post Cor. to Secs. 3, 4, 9 & 10, from which
 a Beech 9 in. dia. bears N24 W 29 lks. dist. &
 a Sugar 7 " " " S62 W 6 " "
 Land level 2^d rate Beech Ash &c.

East On Random between Secs. 3 & 10, T14 E 4 E.
 40.00 Set temp. q. Sec. post
 50.75 a Stream 8 lks. wide Course South
 79.53 Intersected the N. & S. line 100 lks. S. of post
 Land and timber as before

T4 N R4 E. T. Mer. Indiana

West Corrected between Sec. 3 & 10 T4 N R4 E.
 39.76 Set q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 33 E 10 ch. dist. &
 a Sugar 14 " " " South 16 " "
 79.53 to Section Corner

North Between Sec. 3 & 4, T4 N R4 E,
 34.05 an Elm 8 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. dia. bears S 13 E 25 ch. dist. &
 a Hickory 11 " " " N 52 W 16 " "
 54.40 a Beech 20 " "
 75.50 Intersected the N. boundary 53 ch. N. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a Beech 22 in. dia. bears N 73 E 10 ch. dist. &
 a Sugar 5 " " " S 62 W 16 " "
 Land level 3'. rate timber Beech W. Oak Ash
 Hickory Spice &c.

North Between Sec. 32 & 33, T4 N R4 E.
 17.35 an Ash 36 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 24 in. dia. bears N 57 W 32 ch. dist. &
 an Ash 10 " " " S 39 E 29 " "
 42.00 a Stream 8 ch. wide Course West
 56.50 a Beech 20 in. dia.
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33 from which
 a Poplar 36 in. dia. bears N 35 W 5 ch. dist. &
 a Beech 10 " " " S 46 W 18 " "
 Land rolling 3'. rate Beech, Ash, Sugar,
 undergth. Dogwood, Spice &c.

East On Rand^m. between Sec. 28 & 33 T4 N R4 E.
 12.85 a Stream 6 ch. wide Course South
 40.00 Set temp^y q. Sec. post
 79.83 Intersected the N. & S. line 2.14 ch. South of post

141

T14 N. R4 E. 2^d Mer. Indiana

Land level 2^d rate Beech Ash Hick^y. Elm and J. Pine.

West Corrected between Sec^s. 28 & 33. T14 N. R4 E.
 39. 91 Set q^r. Sec. post, at average dist. from which
 a Beech 14 in. dia. bears S15 E 29 lks. dist. &
 a No 16 " " " N83 W 28 " "
 79. 83 To Section Corner

North Between Sec^s. 28 & 29. T14 N. R4 E.
 6. 75 an Ash 11 in. dia.
 40. 00 Set the q^r. Sec. post, from which
 a Beech 12 in. dia. bears S52 W 5 lks. dist. &
 a Hick^y. 12 " " " N9 E 23 " "
 57. 25 a Beech 24 " "
 80. 00 Set a post Cor. to Sec^s. 20, 21, 28 & 29, from which
 an Ash 8 in. dia. bears S9 E 18 lks. dist. &
 a Beech 7 " " " N62 E 17 " "
 Land and timber as before

East On Random between Sec^s. 21 & 28. T14 N. R4 E.
 39. 75 a dry branch 6 lks. wide Course South
 40. 00 Set temp^y. q^r. Sec. post
 79. 65 Intersected the N. & S. line 2.38 lks. South of post
 Land and timber as before

West Corrected between Sec^s. 21 & 28. T14 N. R4 E.
 39. 82 Set q^r. Sec. post, at average dist. from which
 a W. Oak 10 in. dia. bears S67 E 11 lks. dist. &
 an Ash 10 " " " S62 W 10 " "
 79. 65 To Section Corner Sept. 19th 1821-

North Between Sec^s. 20 & 21. T14 N. R4 E.
 19. 80 a Beech 12 in. dia.
 25. 00 a stream 10 lks. wide Course S. W.
 40. 00 Set the q^r. Sec. post, from which
 a Beech 20 in. dia. bears S63 E 24 lks. dist. &

T142 R4 E. 2^d Mer. Indiana

a Beech 5 in. dia. bears N 15 E 6 lks. dist.
 58.70 a Poplar 20 " "
 80.00 Set a post Cor. To Secs. 16, 17, 20 & 21. from which
 a Beech 8 in. dia. bears N 27 W 19 lks. dist. &
 an Ash 6 " " " S 50 W 12 " "
 Land and timber as before -

East On Random between Secs. 16 & 21. S 14 N. R 4 E.
 40.00 Set temp^y. q^r. Sec. post
 70.00 Intersected the q^r. & S. line 206 lks. S. of post.
 Land level 3^d rate Beech Ash W. Oak Hickory
 undergrowth Spice &c.

West Corrected between Secs. 16 & 21. S 14 N. R 4 E.
 39.50 Set q^r. Sec. post. at average dist. from which
 an Ash 5 in. dia. bears S 8 E 14 lks. dist. &
 a Do 6 " " " N 47 W 22 " "
 70.00 To Section Corner

North Between Secs. 16 & 17. S 14 N. R 4 E.
 34.74 an Ash 18 in. dia. in the line
 40.00 Set the q^r. Sec. post, from which
 a Beech 18 in. dia. bears S 33 W 36 lks. dist. &
 an Ash 20 " " " N 14 E 27 " "
 76.12 a Hackberry 12 in. dia. in the line
 76.14 a stream 22 lks. wide Course W.
 80.00 Set a post Cor. To Secs. 8, 9, 16 & 17. from which
 a Beech 20 in. dia. bears S 46 W 14 lks. dist. &
 a Do 10 " " " N 13 E 33 " "
 Land level first 1/2 mile 3^d rate last 1/2 2^d rate
 timber as before

East On Random between Secs. 9 & 16. S 14 N. R 4 E.
 22.00 a stream 18 lks. wide Course S.
 40.00 Set temp^y. q^r. Sec. post -
 79.96 Intersected the N. & S. line 191 lks. South of post

T14 N R4 E. T^r. Mer. Indiana

143

Land and timber as before

West Corrected between Secs. 9 & 16, T14 N. R4 E.
 39. 98 Set q^r. Sec. post, at average dist. from which
 a Poplar 36 in. dia. bears S 36 E 28 lks. dist. &
 a Beech 8 " " " N 83 W 34 " "
 79. 96 To Section Corner

North Between Secs. 8 & 9, T14 N. R4 E.
 1. 62 a Stream 25 lks. wide Course N. E.
 15. 25 a Do - 25 " " " S. W.
 15. 00 a Do - 4 " " " S. W.
 26. 62 a Beech 15 in. dia.
 40. 00 Set the q^r. Sec. post, from which
 a Sugar 10 in. dia. bears S 46 E 13 lks. dist. &
 a Beech 8 " " " N 63 W 9 " "
 52. 96 a Hick 7.20 " "
 30. 00 Set a post cor. to Secs. 4, 5, 8 & 9, from which
 a Beech 28 in. dia. bears N 40 E 7 lks. dist. &
 a Do 8 " " " N 66 W 29 " "
 Land level 2^d. rate Beech Ash Sugar und^r. Spice &c.

East On Random between Secs. 4 & 9, T14 N. R4 E.
 40. 00 Set temp^y. q^r. Sec. post
 79. 45 Intersected the N. & S. line 1.98 lks. S. of post
 Land 2^d. rate timber as before

West Corrected between Secs. 4 & 9, T14 N. R4 E.
 39. 71 Set q^r. Sec. post at average dist, from which
 a Beech 24 in. dia. bears S 60 W 40 lks. dist. &
 a Do 22 " " " N 49 E 22 " "
 79. 45 To Section Corner

North Between Secs. 4 & 5, T14 N. R4 E.
 40. 00 Set the q^r. Sec. post, from which
 a Br. Oak 24 in. dia. bears S 40 E 38 lks. dist. &

T4 N R4 E 2^d Mer. Indiana

an Ash 10 in. dia. bears N41 W16 lbs. dist. 8
 51.15 an Elm 8 " " " "
 76.73 Intersected the N. boundary 83 lbs. N. of post.
 Set a post Cor. to Sec. 4 & 5, from which
 an Ash 18 in dia. bears S40 W21 lbs. dist. 8
 Hickory 8 " " " N63 W20 " "
 Land level good 2^d rate timber Beech Ash
 Sugar Walnut &c. Sept. 20th 1890-

North Between Sec. 31 & 32, T14 N. R4 E.
 30.94 a Beech 15 in. dia.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. bears N29 E22 lbs. dist. 8
 a do 8 " " " N63 W29 " "
 51.75 a Stream 8 lbs. wide Course West
 52.55 a do 10 " " " S. W.
 57.75 a Buckeye 8 in. dia.
 80.00 Set a post cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 24 in. dia. bears N45 E44 lbs. dist. 8
 an Elm 12 " " " N61 W6 " "
 Land rolling 2^d rate, Beech, Ash, Sugar &c.
 Underg^g. Spruce &c.

East On Random betw. Sec. 29 & 32, T14 N. R4 E.
 8.00 a Stream 12 lbs. Wide Course S. W.
 40.00 Set temp^y. q. Sec. post
 80.12 Intersected the N. & S. line 2.02 lbs. S. of post.
 Land and timber as before

West Corrected between Sec. 29 & 32, T14 N. R4 E.
 40.06 Set q. Sec. post at average dist. from which
 a Beech 30 in. dia. bears S85 W15 lbs. dist. 8
 an Ash 18 " " " N51 E21 " "
 80.12 To Section Corner

West Between Sec. 30 & 31, T14 E. N. R4 E.

Comp.

S14 N. R4 E. 2^d, Mer. Indiana

29. 20 a Beech 24 in. dia.
 40. 00 Set the q^r. Sec. post, from which
 a Beech 24 in. dia. bears N 62 E 13 ch. dist. 7
 a Do 10 " " " S 11 W 21 " "
 49. 25 a Stream 20 ch. wide Course North
 52. 75 a Sugar 12 in. dia.
 78. 88 Intersected the N. boundary 22 ch. N. of post.
 Set a post Cor. To Sec. 30 & 31, from which
 a Beech 20 in. dia. bears S 42 E 10 ch. dist. 4
 a Do 12 " " " N 21 W 30 " "
 Land and timber as before

- North Between Sec. 29 & 30, S14 N. R4 E.
 13. 80 a B. Oak 20 in. dia.
 40. 00 Set the q^r. Sec. post, from which
 a Beech 10 in. dia. bears S 17 E 5 ch. dist. 4
 a Do 6 " " " N 39 W 31 " "
 50. 00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 an Elm 36 in. dia. bears N 88 W 10 ch. dist. 4
 an Ash 12 " " " East 13 " "
 Land 3rd rate timber as before

- East On Brandon between Sec. 20 & 29, S14 N. R4 E.
 25. 50 a Stream 10 ch. wide Course S. W.
 40. 00 Set temp^y. q^r. Sec. post.
 70. 44 Intersected the N. & S. line 1.17 ch. S. of post
 Land level 2^d rate

- West Corrected between Sec. 20 & 29, S14 N. R4 E.
 40. 22 Set q^r. Sec. post at average dist. from which
 a Beech 12 in. dia. bears N 3 E 34 ch. dist. 4
 a Sugar 8 " " " S 6 E 22 " "
 50. 44 to Section Corner

- West Between Sec. 19 & 30, S14 N. R4 E.
 19. 92 an Elm 20 in. dia.

T14 N. R4 E. 2^d. Mer. Indiana

40.00 Set the q^r. Sec. post, from which
a Beech 7 in. dia. bears S 34 E 17 lks. dist. &
an Ironw^d. 8 " " " N 67 W 19 " "

59.84 and Elm 10 " "

79.37 Intersected the W. boundary 57 lks. N. of post
Set a post Cor. to Sec. 19 & 20, from which
a Beech 12 in. dia. bears S 37 W 6 lks. dist. &
a Do 10 " " " N 3 E 10 " "
Sand timber &c. as before

North Between Sec. 19 & 20, T14 N. R4 E.

25.35 a Beech 12 in. dia.

40.00 Set the q^r. Sec. post, from which
a Beech 12 in. dia. bears S 13 E 38 lks. dist. &
a Poplar 12 " " " N 20 W 17 " "

56.24 an Ash 12 " "

80.00 Set a post Corner to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bears N 31 W 10 lks. dist. &
a Do 12 " " " S 67 E 28 " "
Land level 3^d. rate Beech Ash Walnut Hickory
undergrowth Spice &c.

East On Prandon between Sec. 17 & 20, T14 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

79.71 Intersected the N. & S. line 100 lks. S. of post
Land level 2^d. rate timber as before

West Corrected between Sec. 17 & 20, T14 N. R4 E.

39.85 Set q^r. Sec. post, at average dist. from which
a W. Oak 24 in. dia. bears S 73 W 19 lks. dist. &
an Ash 18 " " " N 58 E 22 " "

79.71 To Section Corner Sept 21st. 1820 -

West Between Sec. 18 & 19, T14 N. R4 E.

15.45 a Beech 15 in. dia.

40.00 Set the q^r. Sec. post, from which

T14 N R4 E. 2. Mer. Indiana

- a Beech 8 in. dia. bears S 64 E 24 chs dist. 4
 an Ash 7 " " " N 63 W 25 " "
 55.45 a Beech 11 " "
 50.13 Intersected the W. boundary 1.80 chs. S. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 12 in. dia. bears S 67 E 34 chs dist. 4
 a Ironwood 6 " " " N 3 W 27 " "
 Land level good 2^d rate Beech Ash Sugar
 undergrowth Spice poppon &c.

- North Between Sec. 17 & 18, T14 N R4 E.
 31.95 a Hickory 15 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bears N 54 E 16 chs dist. 4
 a Do 10 " " " S 23 W 6 " "
 74.25 an Ash 14 " "
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 16 in. dia. bears N 31 E 13 chs dist. 4
 a Do 14 " " " S 10 W 15 " "
 Land level 2^d rate Beech Ash Hick. undg. Spice &c.

- East On Random between Sec. 8 & 17, T14 N R4 E.
 40.00 Set temp. q. Sec. post
 54.12 a Stream 6 chs. wide Course N. W.
 76.80 a Do 25 " " " North
 79.95 Intersected the N. & S. line 89 chs. S. of post
 Land rolling 2^d rate timber as before

- West Corrected between Sec 8 & 17, T14 N R4 E.
 39.77 Set q. Sec. post at average dist. from which
 an Elm 15 in. dia. bears S 54 E 7 chs dist. 4
 a Beech 6 " " " N 8 E 5 " "
 79.95 to Section Corner

- West Between Sec. 7 & 18, T14 N R4 E.
 30.72 an Ash 20 in. dia.

St. R 4 E. 2^d Mer. Indiana

- 40.00 Set the q. Sec. post, from which
an ~~Elder~~ 12 in. dia. bears N 62 W 32 ch. dist. 4
a Bt. Elder 8 " " " S 54 E 25 " "
- 40.03 a Stream 25 ch. wide Course S. W.
- 61.52 a Buckeye 10 in dia.
- 63.00 a Stream 20 ch. wide Course N. W.
- 75.50 a Do 25 " " " S. W.
- 79.30 Intersected the W. boundary 2.08 ch. N. of post
Set a post Cor. To Sec. 7 & 8, from which
a Walnut 20 in. dia. bears S 15 W 24 ch. dist. 4
a Mulberry 12 " " " N 42 E 19 " "
Land level 2^d rate timber as before. Sept. 23rd 1820.

- North Between Sec. 7 & 8, S 14 N. R 4 E.
- 8.15 a Stream 25 ch. wide Course W.
- 14.12 an Ash 20 in. dia.
- 38.50 a Stream 6 ch. wide Course S. W.
- 40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bears N 61 E 19 ch. dist. 4
a Cherry 12 " " " N 79 W 24 " "
- 51.50 a W. Oak 30 " "
- 80.00 Set a post Cor. To Sec. 5, 6, 7 & 8, from which
an Elm 11 in. dia. bears N 72 E 33 ch. dist. 4
an Ash 6 " " " S 55 W 19 " "
first p. mile level 4 rich 2 half level 2^d rate
Beech, Ash, Sugar, Elm, Walnut, undog^t. Spice &c.

- East On Prandon between Sec. 5 & 8, S 14 N. R 4 E.
- 40.00 Set temp^y. q. Sec. post
- 59.00 a Stream 5 ch. wide Course S. W.
- 80.16 Intersected the N. & S. line 1.15 ch. S. of post
Land level, Soil thin, Beech Ash &c. Spice hazle &c.

- West Corrected between Sec. 5 & 8, S 14 N. R 4 E.
- 40.05 Set q. Sec. post at average dist. from which
a Sugar 25 in. dia. bears N 54 W 25

St 14 E. 2nd Mer. Indiana

80.16 a Sugar 16 in. dia. bears S 20 E 6 ch. dist. 4
to Section Corner

West Between Sec. 6 & 7, St 14 N. R 14 E.
15.40 a Beech 11 in. dia. bears
40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bears S 37 E 27 ch. dist. 4
a Do 16 " " " N 61 W 6 " "
70.50 a Spring draft Course N. W.
75.23 a Beech 15 in. dia.
79.69 Intersected the W. boundary 2.05 ch. N. of post
Set a post Cor. to Sec. 6 & 7, from which
a Beech 20 in. dia. bears N 17 W 13 ch. dist. 4
a Do 5 " " " S 64 E 27 " "
Land level Soil ~~thin~~ timber as before. Beech &c.

North Between Sec. 5 & 6, St 14 N. R 14 E.
36.30 a Beech 10 in. dia.
40.00 Set the q. Sec. post, from which
a Br. Oak 16 in. dia. bears N 26 E 13 ch. dist. 4
a Poplar 12 " " " S 12 E 11 " "
76.40 a Beech 12 " "
76.96 Intersected the N. boundary 1.00 ch. W. of post
Set a post, Cor. to Sec. 5 & 6, from which
a Beech 18 in. dia. bears S 74 W 8 ch. dist. 4
a Do 14 " " " S 79 E 26 " "
Land level 2^d rate timber Beech, Ash, Sugars,
Poplar, undergrowth Spice &c. Sept. 25th 1820 -
Surveyed by John Hondricks, D. S.

Comp

I Certify that the foregoing transcript of field notes
 of Township No. 14 North, Range No. 4 E. 3^d Mer.
 Indiana, has been Comp^d. with the original notes in
 this Office and found to be correct.

Surveyor General's Office
 Cincinnati, Aug. 27th 1841

C. P. Raines

Sur. Genl.